

KING COUNTY

1200 King County Courthouse 516 Third Avenue Seattle, WA 98104

Signature Report

October 5, 2010

Ordinance 16941

	Proposed No. 2010-0454.2 Sponsors Phillips and Lambert
1	AN ORDINANCE relating to the establishment of the
2	212th Avenue Northeast realignment from the intersection
3	of existing 212th Avenue Northeast northerly to Northeast
4	Woodinville-Duvall Road.
5	BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:
6	SECTION 1. The director of the department of transportation has made an
7	examination of establishment of the 212th Avenue Northeast realignment from the
8	intersection of existing 212th Avenue Northeast northerly to Northeast Woodinville-
9	Duvall Road along the course and description set forth below and has made a favorable
10	report upon the same, as required by RCW 36.81.050.
11	SECTION 2. Said road shown on Attachment A to this ordinance shall be
12	established as follows:
13	Those portions of the Southeast Quarter of Section 8 and of the Southwest
14	Quarter of Section 9, all in Township 26 North, Range 6 East, Willamette
15	Meridian, King County, Washington, and being described as follows:
16	Commencing at the Southeast corner of said Section 8;
17	thence N 01°02'59" E along the east line of said Section 8
18	being also the west line of said Section 9, a distance of
19	1785.77 feet to the point of curvature of a non-tangent

20	curve to the right, the radial center of which bears S
21	88°55'53" E, a distance of 380.00 feet, said point being
22	Point of Beginning of this establishment centerline, said
23	point having a calculated NAD83-91 Washington State
24	plane coordinate of N276893.28, E1340287.27 at
25	Engineer's Station 99+73.50; thence along said curve to the
26	right, through a central angle of 40°28'51", an arc distance
27	of 268.48 feet to Engineer's Station 102+41.98; thence N
28	41°44'20" E, on a non-tangent bearing, a distance of
29	170.64 feet to Engineer's Station 104+12.62, said point
30	being on the right-of-way centerline of Northeast
31	Woodinville-Duvall Road, said point having a calculated
32	NAD83-91 Washington State Plane coordinate of
33	N277265.57, E1340496.42, and the terminus of said
34	establishment centerline.
35	The length of said establishment centerline to be 439.12 feet or 0.08 miles.
36	That said road should be established at a variable right-of-way width left and right
37	of the above-mentioned establishment centerline and described as follows:
38	RIGHT-OF-WAY DESCRIBED AS FOLLOWS:
39	Those portions of the Southwest Quarter of Section 9, all in Township 26
40	North, Range 6 East, Willamette Meridian, King County, Washington, and
41	being described as follows:

42	Commencing at the Southwest corner of said Section 9;
43	thence N 01° 02' 59" E along the west line of said Section
44	9, a distance of 1785.77 feet to the point of curvature of a
45	non-tangent curve to the right, the radial center of which
46	bears S 88°55'53" E, a distance of 380.00 feet, said point
47	having a calculated NAD83-91 Washington State plane
48	coordinate of N276893.28, E1340287.27 at Engineer's
49	Station 99+73.50 of King County Survey 8-26-6-12 filed at
50	the office of the King County Engineer; thence along said
51	curve to the right, through a central angle of 22°54'03", an
52	arc distance of 151.88 feet to a point on the east margin of
53	existing 212th Avenue Northeast said point being
54	Engineer's Station 101+25.38 of said Survey, said point
55	being the Point of Beginning; thence N 01°02'59" E a
56	distance of 87.78 feet along said east margin to the point of
57	curvature of a non-tangent curve to the right, the radial
58	center of which bears S 54°59'09" E, a distance of 422.00
59	feet, said point being 42.00 feet left of Engineer's Station
60	101+98.63 of said survey; thence along said curve to the
61	right, through a central angle of 6°32'41", an arc distance
62	of 48.20 feet, to a point having a calculated NAD83-91
63	Washington State Plane coordinate of N 277166.14, E
64	1340351.43; thence N 41°44'20" E, on a non-tangent

65	bearing, a distance of 95.71 feet to the point of curvature of
66	a tangent curve to the left, the radial center of which bears
67	N 48°15'40" W, a distance of 25.00 feet, said point being
68	42.00 feet left of Engineer's Station 103+37.62 of said
69	survey; thence along said curve to the left, through a central
70	angle of 90°00'00", an arc distance of 39.27 feet, to a point
71	being 67.00 feet left of Engineer's Station 103+62.62 of
72	said survey; thence N 48°15'40" W a distance of 104.46
73	feet to a point on the east margin of existing 212th Avenue
74	Northeast, said point being the point of curvature of a non-
75	tangent curve to the right, the radial center of which bears S
76	36°43'27" E, a distance of 25.00 feet, said point being
77	171.46 feet left of Engineer's Station 103+62.62 of said
78	survey; thence along said curve to the right, through a
79	central angle of 78°27'46", an arc distance of 34.24 feet to
80	a point on the southwesterly margin of Northeast
81	Woodinville-Duvall Road, said point being 146.97 feet left
82	of Engineer's Station 103+82.62 of said survey; thence S
83	48°15'40" E along said southwesterly margin a distance of
84	500.82 feet, to a point being 353.85 feet right of Engineer's
85	Station 103+82.62 of said survey; thence S 41°44'00" W a
86	distance of 20.00 feet, to a point being 353.85 feet right of
87	Engineer's Station 103+62.62 of said survey; thence N

88	48°15'40" W a distance of 286.85 feet to the point of
89	curvature of a tangent curve to the left, the radial center of
90	which bears S 41°44'20" W, a distance of 25.00 feet, said
91	point being 67.00 feet right of Engineer's Station
92	103+62.62 of said survey; thence along said curve to the
93	left, through a central angle of 90°00'00", an arc distance of
94	39.27 feet, to a point being 42.00 feet right of Engineer's
95	Station 103+37.62 of said survey; thence S 41°44'20" W a
96	distance of 95.57 feet to the point of curvature of a non-
97	tangent curve to the left, the radial center of which bears S
98	48°27'44" E, a distance of 338.00 feet, said point being
99	42.00 feet right of Engineer's Station 102+42.05 of said
100	survey; thence along said curve to the left, through a central
101	angle of 40°28'10", an arc distance of 238.74 feet, to a
102	point being 42.00 feet right of Engineer's Station 99+73.50
103	of said survey; thence N 88°55'53" W a distance of 12.00
104	feet to a point on the east margin of existing 212th Avenue
105	Northeast, said point being 30.00 feet right of Engineer's
106	Station 99+73.50 of said survey; thence N 01°02'59" E
107	along said east margin, a distance of 147.87 feet to the
108	point of beginning.
109	Containing approximately 31,822 square feet or 0.73 acres.

110 <u>SECTION 3.</u> The King County council finds the establishment of said roadway,

along the course and description set forth, is a public necessity.

112

Ordinance 16941 was introduced on 8/23/2010 and passed by the Metropolitan King County Council on 10/4/2010, by the following vote:

Yes: 8 - Ms. Drago, Mr. Phillips, Mr. von Reichbauer, Mr. Gossett, Ms. Patterson, Ms. Lambert, Mr. Ferguson and Mr. Dunn No: 0 Excused: 1 - Ms. Hague

> KING COUNTY COUNCIL KING COUNTY, WASHINGTON

Robert W. Ferguson, Chair

2010 OCT

S

Rm

C m

m

KING

ATTEST:


Anne Noris, Clerk of the Council


APPROVED this 15 day of October, 2010

PM 4: ទំ

Dow Constantine, County Executive

Attachments: A. Map of NE Woodinvile - Duvall Road at 212th Avenue NE - Establishment Plan, B. County Road Engineer's Report revised 8-31-10, C. County Road Engineer's Field Notes, D. NE Woodinville-Duvall Rd @ 212th Ave NE--Channelization Plan





Revised 8-31-10

ATTACHMENT B



King County Department of Transportation

COUNTY ROAD ENGINEER'S REPORT

Project: NE Woodinville-Duvall Road

<u>At 212th Avenue NE</u> <u>CIP 101404</u>

An ordinance in the matter of the King County Council for the Location and Establishment of a County Road, King County, Washington. I, the undersigned, County Road Engineer of the County of King, State of Washington, duly directed by the King County Council, on the 3 day of 5 day of that certain proposed road relating to the establishment of that certain road therein designated, report that I consider such a road or modified route thereof practicable and submit my opinion.

County Road Engineer Date

FIRST

That the ROAD is a necessity and ought to be established and opened.

SECOND

That the terminal points, general course and length of said ROAD along the Establishment centerline as surveyed by King County is as follows:

Those portions of the Southeast Quarter of Section 8 and of the Southwest Quarter of Section 9, all in Township 26 North, Range 6 East, Willamette Meridian, King County, Washington and being described as follows:

COMMENCING at the Southeast corner of said Section 8;

Thence North 01°02'59" East along the east line of said Section 8 being also the West line of said Section 9, a distance of 1785.77 feet to the point of curvature of a non-tangent curve to the right, the radial center of which bears South 88°55'53" East, a distance of 380.00 feet, said point being POINT OF BEGINNING of this establishment centerline, said point having a calculated NAD83-91 Washington State plane coordinate of North 276893.28, East 1340287.27 at Engineers Station 99+73.50;

Thence along said curve to the right, through a central angle of 40°28'51", an arc distance of 268.48 feet to Engineers Station 102+41.98;

Thence North 41°44'20" East, on a non-tangent bearing, a distance of 170.64 feet to Engineers Station 104+12.62, said point being on the Right of Way Centerline of NE Woodinville-Duvall Road, said point having a calculated NAD83-91 Washington State Plane coordinate of North 277265.57, East 1340496.42, and the terminus of said Establishment centerline.

COUNTY ROAD ENGINEER'S REPORT Page 2

The length of said Establishment centerline to be 439.12 feet or 0.08 miles.

THIRD

THAT said ROAD should be established at a variable right-of-way width left and right of the above mentioned establishment centerline and described as follows:

RIGHT OF WAY DESCRIBED AS FOLLOWS:

Those portions of the Southwest Quarter of Section 9, all in Township 26 North, Range 6 East, Willamette Meridian, King County, Washington and being described as follows:

COMMENCING at the Southwest corner of said Section 9;

Thence North 01°02'59" East along the west line of said Section 9, a distance of 1785.77 feet to the point of curvature of a non-tangent curve to the right, the radial center of which bears South 88°55'53" East, a distance of 380.00 feet, said point having a calculated NAD83-91 Washington State plane coordinate of North 276893.28, East 1340287.27 at Engineers Station 99+73.50 of King County Survey 8-26-6-12 filed at the office of the King County Engineer;

Thence along said curve to the right, through a central angle of 22°54'03", an arc distance of 151.88 feet to a point on the east margin of existing 212th Avenue NE said point being Engineers Station 101+25.38 of said Survey, said point being the POINT OF BEGINNING;

Thence North 01°02'59" East a distance of 87.78 feet along said east margin to the point of curvature of a non-tangent curve to the right, the radial center of which bears South 54°59'09" East, a distance of 422.00 feet, said point being 42.00 feet left of Engineers Station 101+98.63 of said survey;

Thence along said curve to the right, through a central angle of 6°32'41", an arc distance of 48.20 feet, to a point having a calculated NAD83-91 Washington State Plane coordinate of North 277166.14, East 1340351.43;

Thence North 41°44'20" East, on a non-tangent bearing, a distance of 95.71 feet to the point of curvature of a tangent curve to the left, the radial center of which bears North 48°15'40" West, a distance of 25.00 feet, said point being 42.00 feet left of Engineers Station 103+37.62 of said survey;

Thence along said curve to the left, through a central angle of 90°00'00", an arc distance of 39.27 feet, to a point being 67.00 feet left of Engineers Station 103+62.62 of said survey;

Thence North 48°15'40" West a distance of 104.46 feet to a point on the east margin of existing 212th Avenue NE, said point being the point of curvature of a non-tangent curve to the right, the radial center of which bears South 36'43'27" East, a distance of 25.00 feet, said point being 171.46 feet left of Engineers Station 103+62.62 of said survey;

Thence along said curve to the right, through a central angle of 78°27'46", an arc distance of 34.24 feet to a point on the southwesterly margin of NE Woodinville-Duvall Road, said point being 146.97 feet left of Engineers Station 103+82.62 of said survey;

Thence South 48°15'40" East along said southwesterly margin a distance of 500.82 feet, to a point being 353.85 feet right of Engineers Station 103+82.62 of said survey;

Thence South 41°44'00" West a distance of 20.00 feet, to a point being 353.85 feet right of Engineers Station 103+62.62 of said survey;

COUNTY ROAD ENGINEER'S REPORT Page 3

Thence North 48°15'40" West a distance of 286.85 feet to the point of curvature of a tangent curve to the left, the radial center of which bears South 41°44'20" West, a distance of 25.00 feet, said point being 67.00 feet right of Engineers Station 103+62.62 of said survey;

Thence along said curve to the left, through a central angle of 90°00'00", an arc distance of 39.27 feet, to a point being 42.00 feet right of Engineers Station 103+37.62 of said survey;

Thence South 41°44'20" West a distance of 95.57 feet to the point of curvature of a non-tangent curve to the left, the radial center of which bears South 48°27'44" East, a distance of 338.00 feet, said point being 42.00 feet right of Engineers Station 102+42.05 of said survey;

Thence along said curve to the left, through a central angle of 40°28'10", an arc distance of 238.74 feet, to a point being 42.00 feet right of Engineers Station 99+73.50 of said survey;

Thence North 88'55'53" West a distance of 12.00 feet to a point on the east margin of existing 212th Avenue NE, said point being 30.00 feet right of Engineers Station 99+73.50 of said survey;

Thence North 01°02'59" East along said east margin, a distance of 147.87 feet to the point of beginning.

Containing approximately 31,822 square feet (0.73 acres).


FOURTH

That such other facts, matters and things as are deemed of importance to be considered by the Council are as follows: The adoption of this ordinance will establish the alignment of the newly constructed road centerline, and is necessary to formally establish the new alignment as part of the network of surveyed centerline monuments defining public roads in unincorporated King County.

FIFTH

Estimated cost of construction is \$1,465,000.





ATTACHMENT C

King County Department of Transportation

COUNTY ROAD ENGINEER'S FIELD NOTES

Project: NE Woodinville-Duvall Road

<u>At 212th Avenue NE</u> <u>CIP 101404</u>

In the matter of the Ordinance of the King County Council for the Location and Establishment of a County Road, I certify that the field notes and profiles of such survey herewith submitted are correctly prepared and that the map/s herewith transmitted show/s the tracts of land over which said road passes with the names, if known, of the several owners thereof.

OUTRAN **County Road Engineer**

That the terminal points, general course, and length of said ROAD along the Establishment centerline as described and surveyed by King County as follows:

Those portions of the Southeast Quarter of Section 8 and of the Southwest Quarter of Section 9, all in Township 26 North, Range 6 East, Willamette Meridian, King County, Washington and being described as follows:

COMMENCING at the Southeast corner of said Section 8; thence North 01°02'59" East along the east line of said Section 8 being also the West line of said Section 9, a distance of 1785.77 feet to the point of curvature of a non-tangent curve to the right, the radial center of which bears South 88°55'53" East, a distance of 380.00 feet, said point being POINT OF BEGINNING of this establishment centerline, said point having a calculated NAD83-91 Washington State plane coordinate of North 276893.28, East 1340287.27 at Engineers Station 99+73.50; thence along said curve to the right, through a central angle of 40°28'51", an arc distance of 268.48 feet to Engineers Station 102+41.98; thence North 41°44'20" East, on a non-tangent bearing, a distance of 170.64 feet to Engineers Station 104+12.62, said point being on the Right of Way Centerline of NE Woodinville-Duvall Road, said point having a calculated NAD83-91 Washington State Plane coordinate of NOTH 277265.57, East 1340496.42, and the terminus of said Establishment centerline.

The length of said Establishment centerline to be 439.12 feet or 0.08 miles.

STATION	DISTANCE FEET	COURSE	CURVE NOTES	REMARKS
99+73.50				BEGIN ESTABLISHMENT of the new alignment for 212th Avenue NE
	268.48'		Δ =40°28'51"Rt R = 380.00' L=268.48'	Not Tangent, Radial Center Bears S 88*55'53" E of PC
102+41.98	170.64'	N41º44'20'E		Not Tangent, Radial Center Bears S 48°27'03" E of PT
104+12.62= 324+35.58 Woodinville- Duvall Rd				END ESTABLISHMENT of the new alignment for 212th Avenue NE

