

Attachment H

Stormwater Reports

Cedar Hills Regional Landfill
ISGP & CSWGP DMRs
1st Quarter 2022

Washington Department of Ecology

Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR000756 - DMR Submission Id: 1822566 - 5/13/2022
9:48:58 AM**

Company Name	Signer Name	System Name
King County Solid Waste Division	Jennifer Keune	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for King County Solid Waste Division	Copy of Record KingCountySolidWasteDivision Friday May 13 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



xzSmCLsNa96960BICVvvcFuQ7FXdbU0nfVyfMuNgs8NuStB+p
+D8o9cLTOJilR6Wgp4iikfWCItz2hDGEKxeaBZ7bCtBg1HmqOp0c36vQwM=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 01/01/2022 - 03/31/2022

Outfall: GS1 - Discharge to unnamed stream (wetland)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,,alpha,,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
Week	Monitoring Point	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1
Limit Set		ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
4-Th	1/20/22	A	No	A	<2	3	0.0703	<0.472	<9.43	<0.472	<0.472	2.45
Minimum												
Average		A		A								
		BM: <= 25		BM: <= 14								
Maximum												
Month 1 Average					<2	3	0.0703	<0.472	<9.43	<0.472	<0.472	2.45
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP



Week	Monitoring Point	pH Standard Units Quarterly Grab GS1
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
4-Th	1/20/22	6.94
Minimum	6.94	
	≥ 6.0 (RO)	
Average		
Maximum	6.94	
	≤ 9.0 (RO)	
Month 1 Average		
Month 2 Average		
Month 3 Average		



Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 01/01/2022 - 03/31/2022

Outfall: N4 - Discharge to unnamed stream (McDonald Cr)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha ,alpha ,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4
	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
4-Th	1/20/22	A	No	A	<2	1	0.0766	<0.515	<10.3	<0.515	<0.515	19.2
Minimum												
Average	A		A									
	BM: <= 25		BM: <= 14									
Maximum												
Month 1 Average					<2	1	0.0766	<0.515	<10.3	<0.515	<0.515	19.2
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP



Week	Monitoring Point	PH Standard Units Quarterly Grab
		N4
	Limit Set	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
4-Th	1/20/22	7.32
Minimum		7.32 >= 6.0 (RO)
Average		
Maximum		7.32 <= 9.0 (RO)
Month 1 Average		
Month 2 Average		
Month 3 Average		



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 01/01/2022 - 03/31/2022

Outfall: SL3 - Discharge to unnamed stream (ditch)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,,alpha,,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
4-Th	1/20/22	A	No	A	<2	1.1	0.0039	<0.51	<10.2	<0.51	<0.51	3.31
Minimum												
Average	A			A								
	BM: <= 25			BM: <= 14								
Maximum												
Month 1 Average					<2	1.1	0.0039	<0.51	<10.2	<0.51	<0.51	3.31
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Jennifer Keune

5/13/2022 9:48:56 AM

Signature

Date



Week	Monitoring Point	pH Standard Units Quarterly Grab SL3
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
4-Th	1/20/22	6.8
Minimum	6.8	
	>= 6.0 (RO)	
Average		
Maximum	6.8	
	<= 9.0 (RO)	
Month 1 Average		
Month 2 Average		
Month 3 Average		

Washington Department of Ecology

Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1810171 - 2/14/2022
5:32:56 PM**

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Monday February 14 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



q6vEPSu3sL7pDS2o7NS0mtjQwkTJbzu3PzmfCqtoUeC117QavSfV+U5Untmd+K
+u3LFICI/zAO4zLFIBdSKqPe/4GdO/2hRCveG2IQSF4vkA=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 01/01/2022 - 01/31/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-Sa	1/1/22	M	M
2-Su	1/2/22	M	M
2-M	1/3/22	20.1	M
2-T	1/4/22	M	M
2-W	1/5/22	M	M
2-Th	1/6/22	M	M
2-F	1/7/22	M	M
2-Sa	1/8/22	M	M
3-Su	1/9/22	M	M
3-M	1/10/22	M	M
3-T	1/11/22	39.2	M
3-W	1/12/22	M	M
3-Th	1/13/22	M	M
3-F	1/14/22	M	M
3-Sa	1/15/22	M	M
4-Su	1/16/22	M	M
4-M	1/17/22	18.4	M
4-T	1/18/22	M	M
4-W	1/19/22	M	M
4-Th	1/20/22	M	M
4-F	1/21/22	M	M
4-Sa	1/22/22	M	M
5-Su	1/23/22	M	M
5-M	1/24/22	11.5	M
5-T	1/25/22	M	M
5-W	1/26/22	M	M
5-Th	1/27/22	M	M
5-F	1/28/22	M	M
5-Sa	1/29/22	M	M
6-Su	1/30/22	M	M
6-M	1/31/22	10.2	M
Minimum			M BM: >= 6.5 (RO)
Maximum		39.2 BM: <= 25 (RO)	M BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Gravel Filter Berm
	2	Silt Fence
	2	Straw Wattles



	3	Check Dams
	3	Gravel Filter Berm
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Gravel Filter Berm
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Gravel Filter Berm
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Gravel Filter Berm
	6	Silt Fence
	6	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 01/01/2022 - 01/31/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-Sa	1/1/22	M	M
2-Su	1/2/22	M	M
2-M	1/3/22	13.2	M
2-T	1/4/22	M	M
2-W	1/5/22	M	M
2-Th	1/6/22	M	M
2-F	1/7/22	M	M
2-Sa	1/8/22	M	M
3-Su	1/9/22	M	M
3-M	1/10/22	M	M
3-T	1/11/22	21.1	M
3-W	1/12/22	M	M
3-Th	1/13/22	M	M
3-F	1/14/22	M	M
3-Sa	1/15/22	M	M
4-Su	1/16/22	M	M
4-M	1/17/22	8.48	M
4-T	1/18/22	M	M
4-W	1/19/22	M	M
4-Th	1/20/22	M	M
4-F	1/21/22	M	M
4-Sa	1/22/22	M	M
5-Su	1/23/22	M	M
5-M	1/24/22	2.14	M
5-T	1/25/22	M	M
5-W	1/26/22	M	M
5-Th	1/27/22	M	M
5-F	1/28/22	M	M
5-Sa	1/29/22	M	M
6-Su	1/30/22	M	M
6-M	1/31/22	2.04	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum	21.1		M
	BM: <= 25 (RO)		BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	2	Check Dams
	2	Gravel Filter Berm
	3	Check Dams
	3	Gravel Filter Berm
	4	Check Dams



	4	Gravel Filter Berm
	5	Check Dams
	5	Gravel Filter Berm
	6	Check Dams
	6	Gravel Filter Berm



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 01/01/2022 - 01/31/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-Sa	1/1/22	M	M	M	M
2-Su	1/2/22	M	M	M	M
2-M	1/3/22	13.01	M	4.38	M
2-T	1/4/22	M	M	M	M
2-W	1/5/22	M	M	M	M
2-Th	1/6/22	M	M	M	M
2-F	1/7/22	M	M	M	M
2-Sa	1/8/22	M	M	M	M
3-Su	1/9/22	M	M	M	M
3-M	1/10/22	M	M	M	M
3-T	1/11/22	12.1	M	5.40	M
3-W	1/12/22	M	M	M	M
3-Th	1/13/22	M	M	M	M
3-F	1/14/22	M	M	M	M
3-Sa	1/15/22	M	M	M	M
4-Su	1/16/22	M	M	M	M
4-M	1/17/22	6.24	M	4.95	M
4-T	1/18/22	M	M	M	M
4-W	1/19/22	M	M	M	M
4-Th	1/20/22	M	M	M	M
4-F	1/21/22	M	M	M	M
4-Sa	1/22/22	M	M	M	M
5-Su	1/23/22	M	M	M	M
5-M	1/24/22	5.87	M	4.54	M
5-T	1/25/22	M	M	M	M
5-W	1/26/22	M	M	M	M
5-Th	1/27/22	M	M	M	M
5-F	1/28/22	M	M	M	M
5-Sa	1/29/22	M	M	M	M
6-Su	1/30/22	M	M	M	M
6-M	1/31/22	3.46	M	3.35	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		12.1	M	5.40	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams



	2	Gravel Filter Berm
	2	Silt Fence
	2	Straw Wattles
	2	Triangular Silt Dike
	3	Check Dams
	3	Gravel Filter Berm
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Gravel Filter Berm
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Gravel Filter Berm
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike
	6	Check Dams
	6	Gravel Filter Berm
	6	Silt Fence
	6	Straw Wattles
	6	Triangular Silt Dike

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

2/14/2022 5:32:54 PM

Signature

Date

Washington Department of Ecology
Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1813498 - 3/14/2022
1:35:48 PM**

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Monday March 14 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



vPXFIB0JkkK96VmJG7qCWDNfgPIdRuDfCOd2VbTpM/I4OKVokKP6A85KWJ579hwqHJRY83wJJi0y0r3KCRxeVRoUxJCB
ziBhLjQqNE3+P78=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 02/01/2022 - 02/28/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-T	2/1/22	10.24	M
1-W	2/2/22	10.26	M
1-Th	2/3/22	10.01	M
1-F	2/4/22	9.62	M
1-Sa	2/5/22	M	M
2-Su	2/6/22	M	M
2-M	2/7/22	9.02	M
2-T	2/8/22	8.76	M
2-W	2/9/22	8.24	M
2-Th	2/10/22	8.25	M
2-F	2/11/22	7.12	M
2-Sa	2/12/22	M	M
3-Su	2/13/22	M	M
3-M	2/14/22	2.80	M
3-T	2/15/22	2.89	M
3-W	2/16/22	2.94	M
3-Th	2/17/22	2.69	M
3-F	2/18/22	2.64	M
3-Sa	2/19/22	M	M
4-Su	2/20/22	M	M
4-M	2/21/22	2.28	M
4-T	2/22/22	2.30	M
4-W	2/23/22	2.21	M
4-Th	2/24/22	2.07	M
4-F	2/25/22	1.92	M
4-Sa	2/26/22	M	M
5-Su	2/27/22	M	M
5-M	2/28/22	8.67	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum	8.67	M	
	BM: <= 25 (RO)	BM: <= 8.5 (RO)	

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Sediment Trap
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Gravel Filter Berm
	2	Sediment Trap
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams



	3	Gravel Filter Berm
	3	Sediment Trap
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Gravel Filter Berm
	4	Sediment Trap
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Gravel Filter Berm
	5	Sediment Trap
	5	Silt Fence
	5	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 02/01/2022 - 02/28/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-T	2/1/22	2.04	M
1-W	2/2/22	1.98	M
1-Th	2/3/22	1.90	M
1-F	2/4/22	1.96	M
1-Sa	2/5/22	M	M
2-Su	2/6/22	M	M
2-M	2/7/22	1.75	M
2-T	2/8/22	1.74	M
2-W	2/9/22	1.89	M
2-Th	2/10/22	1.96	M
2-F	2/11/22	1.96	M
2-Sa	2/12/22	M	M
3-Su	2/13/22	M	M
3-M	2/14/22	5.29	M
3-T	2/15/22	5.14	M
3-W	2/16/22	5.64	M
3-Th	2/17/22	5.75	M
3-F	2/18/22	5.72	M
3-Sa	2/19/22	M	M
4-Su	2/20/22	M	M
4-M	2/21/22	5.70	M
4-T	2/22/22	5.75	M
4-W	2/23/22	5.77	M
4-Th	2/24/22	5.80	M
4-F	2/25/22	5.84	M
4-Sa	2/26/22	M	M
5-Su	2/27/22	M	M
5-M	2/28/22	24.8	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum		24.8	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Gravel Filter Berm
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Gravel Filter Berm



	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Gravel Filter Berm
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Gravel Filter Berm
	5	Silt Fence
	5	Straw Wattles



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 02/01/2022 - 02/28/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-T	2/1/22	3.46	M	3.35	M
1-W	2/2/22	3.09	M	3.45	M
1-Th	2/3/22	3.08	M	3.42	M
1-F	2/4/22	2.99	M	3.34	M
1-Sa	2/5/22	M	M	M	M
2-Su	2/6/22	M	M	M	M
2-M	2/7/22	2.76	M	3.30	M
2-T	2/8/22	2.79	M	3.21	M
2-W	2/9/22	2.60	M	C	M
2-Th	2/10/22	2.49	M	C	M
2-F	2/11/22	2.36	M	C	M
2-Sa	2/12/22	M	M	M	M
3-Su	2/13/22	M	M	M	M
3-M	2/14/22	2.18	M	C	M
3-T	2/15/22	2.20	M	C	M
3-W	2/16/22	2.09	M	C	M
3-Th	2/17/22	2.04	M	C	M
3-F	2/18/22	1.89	M	C	M
3-Sa	2/19/22	M	M	M	M
4-Su	2/20/22	M	M	M	M
4-M	2/21/22	1.71	M	C	M
4-T	2/22/22	1.64	M	C	M
4-W	2/23/22	1.30	M	C	M
4-Th	2/24/22	1.27	M	C	M
4-F	2/25/22	1.21	M	C	M
4-Sa	2/26/22	M	M	M	M
5-Su	2/27/22	M	M	M	M
5-M	2/28/22	47.0	M	6.46	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		47.0	M	6.46	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Gravel Filter Berm
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams



	3	Gravel Filter Berm
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Gravel Filter Berm
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Gravel Filter Berm
	5	Silt Fence
	5	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

3/14/2022 1:35:46 PM

Signature

Date

Washington Department of Ecology

Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1818159 - 4/15/2022
1:02:43 PM**

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Friday April 15 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



e+m4dnS/66EVOOjwqE0+VA4Xqq9Lxo7NR8N2g9F
+DkoEo8U3/Wo7f06EhWtqNdUXcitDdAIBroAf5325bD9GDeaamTJ6sq76cqUXiG2q/uw=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 03/01/2022 - 03/31/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 2

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-T	3/1/22	9.02	M
1-W	3/2/22	9.26	M
1-Th	3/3/22	9.24	M
1-F	3/4/22	10.75	M
1-Sa	3/5/22	M	M
2-Su	3/6/22	M	M
2-M	3/7/22	12.89	M
2-T	3/8/22	M	M
2-W	3/9/22	M	M
2-Th	3/10/22	M	M
2-F	3/11/22	M	M
2-Sa	3/12/22	M	M
3-Su	3/13/22	M	M
3-M	3/14/22	7.95	M
3-T	3/15/22	M	M
3-W	3/16/22	M	M
3-Th	3/17/22	M	M
3-F	3/18/22	M	M
3-Sa	3/19/22	M	M
4-Su	3/20/22	M	M
4-M	3/21/22	8.48	M
4-T	3/22/22	M	M
4-W	3/23/22	M	M
4-Th	3/24/22	M	M
4-F	3/25/22	M	M
4-Sa	3/26/22	M	M
5-Su	3/27/22	M	M
5-M	3/28/22	9.66	M
5-T	3/29/22	M	M
5-W	3/30/22	M	M
5-Th	3/31/22	M	M
Minimum			M BM: >= 6.5 (RO)
Maximum		12.89 BM: <= 25 (RO)	M BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Gravel Filter Berm
	2	Silt Fence



	2	Straw Wattles
	2	Triangular Silt Dike
	3	Check Dams
	3	Gravel Filter Berm
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Gravel Filter Berm
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Gravel Filter Berm
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 03/01/2022 - 03/31/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 2

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-T	3/1/22	23.6	M
1-W	3/2/22	23.0	M
1-Th	3/3/22	21.7	M
1-F	3/4/22	21.9	M
1-Sa	3/5/22	M	M
2-Su	3/6/22	M	M
2-M	3/7/22	20.6	M
2-T	3/8/22	M	M
2-W	3/9/22	M	M
2-Th	3/10/22	M	M
2-F	3/11/22	M	M
2-Sa	3/12/22	M	M
3-Su	3/13/22	M	M
3-M	3/14/22	12.18	M
3-T	3/15/22	M	M
3-W	3/16/22	M	M
3-Th	3/17/22	M	M
3-F	3/18/22	M	M
3-Sa	3/19/22	M	M
4-Su	3/20/22	M	M
4-M	3/21/22	9.89	M
4-T	3/22/22	M	M
4-W	3/23/22	M	M
4-Th	3/24/22	M	M
4-F	3/25/22	M	M
4-Sa	3/26/22	M	M
5-Su	3/27/22	M	M
5-M	3/28/22	6.42	M
5-T	3/29/22	M	M
5-W	3/30/22	M	M
5-Th	3/31/22	M	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum	23.6		M
	BM: <= 25 (RO)		BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Triangular Silt Dike
	3	Check Dams



	3	Silt Fence
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Triangular Silt Dike



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 03/01/2022 - 03/31/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 2

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-T	3/1/22	44.3	M	6.22	M
1-W	3/2/22	26.4	M	6.15	M
1-Th	3/3/22	21.7	M	5.33	M
1-F	3/4/22	22.4	M	5.30	M
1-Sa	3/5/22	M	M	M	M
2-Su	3/6/22	M	M	M	M
2-M	3/7/22	15.4	M	4.18	M
2-T	3/8/22	M	M	M	M
2-W	3/9/22	M	M	M	M
2-Th	3/10/22	M	M	M	M
2-F	3/11/22	M	M	M	M
2-Sa	3/12/22	M	M	M	M
3-Su	3/13/22	M	M	M	M
3-M	3/14/22	3.71	M	3.01	M
3-T	3/15/22	M	M	M	M
3-W	3/16/22	M	M	M	M
3-Th	3/17/22	M	M	M	M
3-F	3/18/22	M	M	M	M
3-Sa	3/19/22	M	M	M	M
4-Su	3/20/22	M	M	M	M
4-M	3/21/22	5.29	M	2.89	M
4-T	3/22/22	M	M	M	M
4-W	3/23/22	M	M	M	M
4-Th	3/24/22	M	M	M	M
4-F	3/25/22	M	M	M	M
4-Sa	3/26/22	M	M	M	M
5-Su	3/27/22	M	M	M	M
5-M	3/28/22	6.99	M	4.04	M
5-T	3/29/22	M	M	M	M
5-W	3/30/22	M	M	M	M
5-Th	3/31/22	M	M	M	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		44.3	M	6.22	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence



	2	Straw Wattles
	2	Triangular Silt Dike
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

4/15/2022 1:02:41 PM

Signature

Date

**Cedar Hills Regional Landfill
ISGP & CSWGP DMRs
2nd Quarter 2022**

Washington Department of Ecology

Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR000756 - DMR Submission Id: 1836128 - 8/15/2022
2:54:51 PM**

Company Name	Signer Name	System Name
King County Solid Waste Division	Jennifer Keune	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for King County Solid Waste Division	Copy of Record KingCountySolidWasteDivision Monday August 15 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



9jQFZ8dU5eUtSX2byu7D0UUntS+jY/Z05kcCfZ/quvbQ0vGwy
+W/cAAs7Spi8ZrZJcWrigj0qQEEDLVWW7i9xMjf94w0BAfbzriREvgeqw=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 04/01/2022 - 06/30/2022

Outfall: GS1 - Discharge to unnamed stream (wetland)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,,alpha,,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
Week	Monitoring Point	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1
Limit Set		ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
2-T	4/5/22	A	N	A	<2	4.6	0.0123	<1.22	<24.4	<1.22	<1.22	1.81
Minimum												
Average		A		A								
		BM: <= 25		BM: <= 14								
Maximum												
Month 1 Average					<2	4.6	0.0123	<1.22	<24.4	<1.22	<1.22	1.81
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP



Week	Monitoring Point	pH Standard Units Quarterly Grab GS1
	Limit Set	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
2-T	4/5/22	7.26
Minimum		7.26 ≥ 6.0 (RO)
Average		
Maximum		7.26 ≤ 9.0 (RO)
Month 1 Average		
Month 2 Average		
Month 3 Average		



Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 04/01/2022 - 06/30/2022

Outfall: N4 - Discharge to unnamed stream (McDonald Cr)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha ,alpha ,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4
	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
2-T	4/5/22	A	N	A	<2	4	0.0256	<0.521	<10.4	<0.521	<0.521	13.5
Minimum												
Average	A		A									
	BM: <= 25		BM: <= 14									
Maximum												
Month 1 Average					<2	4	0.0256	<0.521	<10.4	<0.521	<0.521	13.5
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP



Week	Monitoring Point	PH Standard Units Quarterly Grab N4
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
2-T	4/5/22	7.14
Minimum		7.14 >= 6.0 (RO)
Average		
Maximum		7.14 <= 9.0 (RO)
Month 1 Average		
Month 2 Average		
Month 3 Average		



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 04/01/2022 - 06/30/2022

Outfall: SL3 - Discharge to unnamed stream (ditch)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,,alpha,,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
2-T	4/5/22	A	N	A	<2	<0.51	0.0051	<0.538	<10.8	<0.538	<0.538	2.97
Minimum												
Average	A			A								
	BM: <= 25			BM: <= 14								
Maximum												
Month 1 Average					<2	<0.51	0.0051	<0.538	<10.8	<0.538	<0.538	2.97
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: A - Consistent Attainment Of Benchmark, B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Jennifer Keune

8/15/2022 2:54:46 PM

Signature

Date



Week	Monitoring Point	pH Standard Units Quarterly Grab SL3
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
2-T	4/5/22	6.96
Minimum	6.96	
	>= 6.0 (RO)	
Average		
Maximum	6.96	
	<= 9.0 (RO)	
Month 1 Average		
Month 2 Average		
Month 3 Average		

Washington Department of Ecology

Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1822823 - 5/13/2022
1:43:30 PM**

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Friday May 13 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



iGbKMIjrCgTrSFzJBvuQMB+WnjwqqapLQ68EmEutRbH69vo/VRIIYCJecFITF032KYKYLrbJO52dQk8x
+LsuPriDVJ4dxH8KuznMggv6Fsw=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 04/01/2022 - 04/30/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-F	4/1/22	M	M
1-Sa	4/2/22	M	M
2-Su	4/3/22	M	M
2-M	4/4/22	6.75	M
2-T	4/5/22	M	M
2-W	4/6/22	M	M
2-Th	4/7/22	M	M
2-F	4/8/22	M	M
2-Sa	4/9/22	M	M
3-Su	4/10/22	M	M
3-M	4/11/22	3.96	M
3-T	4/12/22	M	M
3-W	4/13/22	M	M
3-Th	4/14/22	M	M
3-F	4/15/22	M	M
3-Sa	4/16/22	M	M
4-Su	4/17/22	M	M
4-M	4/18/22	1.64	M
4-T	4/19/22	M	M
4-W	4/20/22	M	M
4-Th	4/21/22	M	M
4-F	4/22/22	M	M
4-Sa	4/23/22	M	M
5-Su	4/24/22	M	M
5-M	4/25/22	3.23	M
5-T	4/26/22	M	M
5-W	4/27/22	M	M
5-Th	4/28/22	M	M
5-F	4/29/22	M	M
5-Sa	4/30/22	M	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum	6.75	M	
	BM: <= 25 (RO)	BM: <= 8.5 (RO)	

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Gravel Filter Berm
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence



	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 04/01/2022 - 04/30/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-F	4/1/22	M	M
1-Sa	4/2/22	M	M
2-Su	4/3/22	M	M
2-M	4/4/22	5.02	M
2-T	4/5/22	M	M
2-W	4/6/22	M	M
2-Th	4/7/22	M	M
2-F	4/8/22	M	M
2-Sa	4/9/22	M	M
3-Su	4/10/22	M	M
3-M	4/11/22	3.01	M
3-T	4/12/22	M	M
3-W	4/13/22	M	M
3-Th	4/14/22	M	M
3-F	4/15/22	M	M
3-Sa	4/16/22	M	M
4-Su	4/17/22	M	M
4-M	4/18/22	1.02	M
4-T	4/19/22	M	M
4-W	4/20/22	M	M
4-Th	4/21/22	M	M
4-F	4/22/22	M	M
4-Sa	4/23/22	M	M
5-Su	4/24/22	M	M
5-M	4/25/22	1.89	M
5-T	4/26/22	M	M
5-W	4/27/22	M	M
5-Th	4/28/22	M	M
5-F	4/29/22	M	M
5-Sa	4/30/22	M	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum		5.02	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence



	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 04/01/2022 - 04/30/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-F	4/1/22	M	M	M	M
1-Sa	4/2/22	M	M	M	M
2-Su	4/3/22	M	M	M	M
2-M	4/4/22	4.89	M	5.69	M
2-T	4/5/22	M	M	M	M
2-W	4/6/22	M	M	M	M
2-Th	4/7/22	M	M	M	M
2-F	4/8/22	M	M	M	M
2-Sa	4/9/22	M	M	M	M
3-Su	4/10/22	M	M	M	M
3-M	4/11/22	2.60	M	8.48	M
3-T	4/12/22	M	M	M	M
3-W	4/13/22	M	M	M	M
3-Th	4/14/22	M	M	M	M
3-F	4/15/22	M	M	M	M
3-Sa	4/16/22	M	M	M	M
4-Su	4/17/22	M	M	M	M
4-M	4/18/22	1.80	M	11.60	M
4-T	4/19/22	M	M	M	M
4-W	4/20/22	M	M	M	M
4-Th	4/21/22	M	M	M	M
4-F	4/22/22	M	M	M	M
4-Sa	4/23/22	M	M	M	M
5-Su	4/24/22	M	M	M	M
5-M	4/25/22	1.99	M	11.04	M
5-T	4/26/22	M	M	M	M
5-W	4/27/22	M	M	M	M
5-Th	4/28/22	M	M	M	M
5-F	4/29/22	M	M	M	M
5-Sa	4/30/22	M	M	M	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		4.89	M	11.60	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams



	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

5/13/2022 1:43:28 PM

Signature

Date

Washington Department of Ecology
Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1826973 - 6/14/2022
11:20:33 AM**

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Tuesday June 14 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



FVHY+XsWIuLFjx8E7mVESgJATt/eTN44lpioIXZx7j4foMpup57FU/490OyP8aTKyR+FXiBREE6QvD3jzWFpDIQ0KYFFO+frk1yizyj1Z6Y=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 05/01/2022 - 05/31/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-Su	5/1/22	M	M
1-M	5/2/22	2.12	M
1-T	5/3/22	M	M
1-W	5/4/22	M	M
1-Th	5/5/22	M	M
1-F	5/6/22	M	M
1-Sa	5/7/22	M	M
2-Su	5/8/22	M	M
2-M	5/9/22	2.40	M
2-T	5/10/22	M	M
2-W	5/11/22	M	M
2-Th	5/12/22	M	M
2-F	5/13/22	M	M
2-Sa	5/14/22	M	M
3-Su	5/15/22	M	M
3-M	5/16/22	3.61	M
3-T	5/17/22	M	M
3-W	5/18/22	M	M
3-Th	5/19/22	M	M
3-F	5/20/22	M	M
3-Sa	5/21/22	M	M
4-Su	5/22/22	M	M
4-M	5/23/22	M	M
4-T	5/24/22	M	M
4-W	5/25/22	M	M
4-Th	5/26/22	M	M
4-F	5/27/22	5.43	M
4-Sa	5/28/22	M	M
5-Su	5/29/22	M	M
5-M	5/30/22	M	M
5-T	5/31/22	2.26	M
Minimum			M BM: >= 6.5 (RO)
Maximum		5.43 BM: <= 25 (RO)	M BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	2	Triangular Silt Dike



	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 05/01/2022 - 05/31/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-Su	5/1/22	M	M
1-M	5/2/22	3.05	M
1-T	5/3/22	M	M
1-W	5/4/22	M	M
1-Th	5/5/22	M	M
1-F	5/6/22	M	M
1-Sa	5/7/22	M	M
2-Su	5/8/22	M	M
2-M	5/9/22	2.97	M
2-T	5/10/22	M	M
2-W	5/11/22	M	M
2-Th	5/12/22	M	M
2-F	5/13/22	M	M
2-Sa	5/14/22	M	M
3-Su	5/15/22	M	M
3-M	5/16/22	1.30	M
3-T	5/17/22	M	M
3-W	5/18/22	M	M
3-Th	5/19/22	M	M
3-F	5/20/22	M	M
3-Sa	5/21/22	M	M
4-Su	5/22/22	M	M
4-M	5/23/22	M	M
4-T	5/24/22	M	M
4-W	5/25/22	M	M
4-Th	5/26/22	M	M
4-F	5/27/22	0.71	M
4-Sa	5/28/22	M	M
5-Su	5/29/22	M	M
5-M	5/30/22	M	M
5-T	5/31/22	1.45	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum		3.05	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles



	2	Triangular Silt Dike
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 05/01/2022 - 05/31/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-Su	5/1/22	M	M	M	M
1-M	5/2/22	2.97	M	6.21	M
1-T	5/3/22	M	M	M	M
1-W	5/4/22	M	M	M	M
1-Th	5/5/22	M	M	M	M
1-F	5/6/22	M	M	M	M
1-Sa	5/7/22	M	M	M	M
2-Su	5/8/22	M	M	M	M
2-M	5/9/22	1.85	M	4.90	M
2-T	5/10/22	M	M	M	M
2-W	5/11/22	M	M	M	M
2-Th	5/12/22	M	M	M	M
2-F	5/13/22	M	M	M	M
2-Sa	5/14/22	M	M	M	M
3-Su	5/15/22	M	M	M	M
3-M	5/16/22	2.03	M	2.78	M
3-T	5/17/22	M	M	M	M
3-W	5/18/22	M	M	M	M
3-Th	5/19/22	M	M	M	M
3-F	5/20/22	M	M	M	M
3-Sa	5/21/22	M	M	M	M
4-Su	5/22/22	M	M	M	M
4-M	5/23/22	M	M	M	M
4-T	5/24/22	M	M	M	M
4-W	5/25/22	M	M	M	M
4-Th	5/26/22	M	M	M	M
4-F	5/27/22	1.13	M	0.88	M
4-Sa	5/28/22	M	M	M	M
5-Su	5/29/22	M	M	M	M
5-M	5/30/22	M	M	M	M
5-T	5/31/22	2.53	M	4.96	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		2.97	M	6.21	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles



	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

Signature

6/14/2022 11:20:31 AM

Date

Washington Department of Ecology

Electronic Submission Cover Letter



WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1829220 - 7/6/2022 8:47:49 AM

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Wednesday July 6 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



MUI652ism8ZCohe8ebqT8/yFJDasyewrQPk
+uyo9gEZJzI84fivoywv9Gxz/0ZjCBimGKTmrTtcB8WsmrNz0drrfr7Bp7UgV8hpcKrKsogU=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 06/01/2022 - 06/30/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-W	6/1/22	1.99	M
1-Th	6/2/22	3.19	M
1-F	6/3/22	2.10	M
1-Sa	6/4/22	M	M
2-Su	6/5/22	M	M
2-M	6/6/22	1.84	M
2-T	6/7/22	1.13	M
2-W	6/8/22	1.76	M
2-Th	6/9/22	3.19	M
2-F	6/10/22	6.83	M
2-Sa	6/11/22	M	M
3-Su	6/12/22	M	M
3-M	6/13/22	2.04	M
3-T	6/14/22	3.87	M
3-W	6/15/22	2.78	M
3-Th	6/16/22	1.40	M
3-F	6/17/22	2.03	M
3-Sa	6/18/22	M	M
4-Su	6/19/22	M	M
4-M	6/20/22	1.22	M
4-T	6/21/22	0.96	M
4-W	6/22/22	1.75	M
4-Th	6/23/22	2.10	M
4-F	6/24/22	2.86	M
4-Sa	6/25/22	M	M
5-Su	6/26/22	M	M
5-M	6/27/22	1.16	M
5-T	6/28/22	2.17	M
5-W	6/29/22	1.90	M
5-Th	6/30/22	2.53	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum	6.83	M	
	BM: <= 25 (RO)	BM: <= 8.5 (RO)	

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	2	Triangular Silt Dike
	3	Check Dams



	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 06/01/2022 - 06/30/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		C3	C3
1-W	6/1/22	1.07	M
1-Th	6/2/22	11.2	M
1-F	6/3/22	1.15	M
1-Sa	6/4/22	M	M
2-Su	6/5/22	M	M
2-M	6/6/22	0.81	M
2-T	6/7/22	1.04	M
2-W	6/8/22	1.20	M
2-Th	6/9/22	1.24	M
2-F	6/10/22	5.72	M
2-Sa	6/11/22	M	M
3-Su	6/12/22	M	M
3-M	6/13/22	4.83	M
3-T	6/14/22	1.63	M
3-W	6/15/22	1.13	M
3-Th	6/16/22	1.07	M
3-F	6/17/22	0.89	M
3-Sa	6/18/22	M	M
4-Su	6/19/22	M	M
4-M	6/20/22	1.19	M
4-T	6/21/22	1.02	M
4-W	6/22/22	1.34	M
4-Th	6/23/22	0.95	M
4-F	6/24/22	1.47	M
4-Sa	6/25/22	M	M
5-Su	6/26/22	M	M
5-M	6/27/22	1.41	M
5-T	6/28/22	M	M
5-W	6/29/22	M	M
5-Th	6/30/22	M	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum		11.2	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	2	Triangular Silt Dike



	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 06/01/2022 - 06/30/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab	Measured NTU Weekly Grab	Standard Units Weekly Grab
		C1	C1	C2	C2
1-W	6/1/22	0.92	M	2.24	M
1-Th	6/2/22	1.32	M	4.13	M
1-F	6/3/22	2.65	M	5.12	M
1-Sa	6/4/22	M	M	M	M
2-Su	6/5/22	M	M	M	M
2-M	6/6/22	2.33	M	4.91	M
2-T	6/7/22	3.53	M	0.97	M
2-W	6/8/22	4.60	M	2.12	M
2-Th	6/9/22	3.22	M	1.98	M
2-F	6/10/22	4.2	M	3.08	M
2-Sa	6/11/22	M	M	M	M
3-Su	6/12/22	M	M	M	M
3-M	6/13/22	2.40	M	3.11	M
3-T	6/14/22	4.18	M	2.90	M
3-W	6/15/22	3.08	M	2.11	M
3-Th	6/16/22	2.97	M	3.42	M
3-F	6/17/22	2.54	M	3.10	M
3-Sa	6/18/22	M	M	M	M
4-Su	6/19/22	M	M	M	M
4-M	6/20/22	3.44	M	2.87	M
4-T	6/21/22	3.67	M	5.30	M
4-W	6/22/22	4.00	M	3.91	M
4-Th	6/23/22	3.51	M	3.88	M
4-F	6/24/22	5.22	M	3.07	M
4-Sa	6/25/22	M	M	M	M
5-Su	6/26/22	M	M	M	M
5-M	6/27/22	3.6	M	2.98	M
5-T	6/28/22	M	M	M	M
5-W	6/29/22	M	M	M	M
5-Th	6/30/22	M	M	M	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		5.22	M	5.30	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams



	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

7/6/2022 8:47:44 AM

Signature

Date

**Cedar Hills Regional Landfill
ISGP & CSWGP DMRs
3rd Quarter 2022**

Washington Department of Ecology
Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR000756 - DMR Submission Id: 1845457 - 11/1/2022
9:29:48 AM**

Company Name	Signer Name	System Name
King County Solid Waste Division	Jennifer Keune	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for King County Solid Waste Division	Copy of Record KingCountySolidWasteDivision Tuesday November 1 2022

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



jwAjpBYzI/tNjXKpL4jDjRY76fiFHF//xmT5aV1Yoiyp7ql6orgOF9t6/3B6SYz2jMPQfhN2E
+6cUaCOX27shgwgstOxmvk/ZrDpHlp9A4=



Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 07/01/2022 - 09/30/2022

Outfall: GS1 - Discharge to unnamed stream (wetland)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,, alpha,, alpha,, trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1
Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
Minimum												
Average	BM: <= 25		BM: <= 14									
Maximum												
Month 1 Average				<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110	
Month 2 Average				<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110	
Month 3 Average				<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110	

Reporting Codes Used: C - No Discharge

Overall DMR Notes/Comment

Reporting Code: C - No Discharge



Week	Monitoring Point	pH Standard Units Quarterly Grab
Limit Set	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	
Minimum	>= 6.0 (RO)	
Average		
Maximum	<= 9.0 (RO)	
Month 1 Average		
Month 2 Average		
Month 3 Average		



Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 07/01/2022 - 09/30/2022

Outfall: N4 - Discharge to unnamed stream (McDonald Cr)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,.alpha,.trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4
Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
Minimum												
Average	BM: <= 25			BM: <= 14								
Maximum												
Month 1 Average					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: C - No Discharge

Overall DMR Notes/Comment

Reporting Code: C - No Discharge



Week	Monitoring Point	PH Standard Units Quarterly Grab N4
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
Minimum		>= 6.0 (RO)
Average		
Maximum		<= 9.0 (RO)
Month 1 Average		
Month 2 Average		
Month 3 Average		



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 07/01/2022 - 09/30/2022

Outfall: SL3 - Discharge to unnamed stream (ditch)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,, alpha,, alpha,, trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3
Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
Minimum												
Average	BM: <= 25		BM: <= 14									
Maximum												
Month 1 Average				<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110	
Month 2 Average				<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110	
Month 3 Average				<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110	

Reporting Codes Used: C - No Discharge

Overall DMR Notes/Comment

Reporting Code: C - No Discharge

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Jennifer Keune

11/1/2022 9:29:43 AM

Signature

Date



Week	Monitoring Point	pH Standard Units Quarterly Grab SL3
Limit Set	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	
Minimum	>= 6.0 (RO)	
Average		
Maximum	<= 9.0 (RO)	
Month 1 Average		
Month 2 Average		
Month 3 Average		



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 07/01/2022 - 07/31/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 3

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-F	7/1/22	2.4	M
1-Sa	7/2/22	M	M
2-Su	7/3/22	M	M
2-M	7/4/22	M	M
2-T	7/5/22	3.28	M
2-W	7/6/22	4.07	M
2-Th	7/7/22	3.65	M
2-F	7/8/22	2.30	M
2-Sa	7/9/22	M	M
3-Su	7/10/22	M	M
3-M	7/11/22	3.16	M
3-T	7/12/22	3.64	M
3-W	7/13/22	3.03	M
3-Th	7/14/22	2.72	M
3-F	7/15/22	6.11	M
3-Sa	7/16/22	M	M
4-Su	7/17/22	M	M
4-M	7/18/22	4.89	M
4-T	7/19/22	3.2	M
4-W	7/20/22	3.98	M
4-Th	7/21/22	4.4	M
4-F	7/22/22	2.65	M
4-Sa	7/23/22	M	M
5-Su	7/24/22	M	M
5-M	7/25/22	5.50	M
5-T	7/26/22	3.31	M
5-W	7/27/22	3.38	M
5-Th	7/28/22	2.97	M
5-F	7/29/22	3.06	M
5-Sa	7/30/22	M	M
6-Su	7/31/22	M	M
Minimum			M BM: >= 6.5 (RO)
Maximum		6.11 BM: <= 25 (RO)	M BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence



	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Silt Fence
	6	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 07/01/2022 - 07/31/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 3

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-F	7/1/22	C	C
2-Su	7/3/22	C	C
3-Su	7/10/22	C	C
4-Su	7/17/22	C	C
5-Su	7/24/22	C	C
6-Su	7/31/22	C	C
Minimum			M
			BM: >= 6.5 (RO)
Maximum		M	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Silt Fence
	6	Straw Wattles



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 07/01/2022 - 07/31/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 3

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-F	7/1/22	C	C	C	C
2-Su	7/3/22	C	C	C	C
3-Su	7/10/22	C	C	C	C
4-Su	7/17/22	C	C	C	C
5-Su	7/24/22	C	C	C	C
6-Su	7/31/22	C	C	C	C
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		M	M	M	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Silt Fence
	6	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

8/15/2022 11:31:23 AM

Signature

Date



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 08/01/2022 - 08/31/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-M	8/1/22	C	C
2-Su	8/7/22	C	C
3-Su	8/14/22	C	C
4-Su	8/21/22	C	C
5-Su	8/28/22	C	C
Minimum			BM: >= 6.5 (RO)
Maximum		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 08/01/2022 - 08/31/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-M	8/1/22	C	C
2-Su	8/7/22	C	C
3-Su	8/14/22	C	C
4-Su	8/21/22	C	C
5-Su	8/28/22	C	C
Minimum			BM: >= 6.5 (RO)
Maximum		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	2	Triangular Silt Dike
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 08/01/2022 - 08/31/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU)		pH	
		Measured NTU Weekly Grab	Standard Units Weekly Grab	Measured NTU Weekly Grab	Standard Units Weekly Grab
		C1	C1	C2	C2
1-M	8/1/22	C	C	C	C
2-Su	8/7/22	C	C	C	C
3-Su	8/14/22	C	C	C	C
4-Su	8/21/22	C	C	C	C
5-Su	8/28/22	C	C	C	C
Minimum			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

9/1/2022 2:52:42 PM

Signature

Date



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 09/01/2022 - 09/30/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-Th	9/1/22	C	C
2-Su	9/4/22	C	C
3-Su	9/11/22	C	C
4-Su	9/18/22	C	C
5-Su	9/25/22	C	C
Minimum			BM: >= 6.5 (RO)
Maximum		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 09/01/2022 - 09/30/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-Th	9/1/22	C	C
2-Su	9/4/22	C	C
3-Su	9/11/22	C	C
4-Su	9/18/22	C	C
5-Su	9/25/22	C	C
Minimum			BM: >= 6.5 (RO)
Maximum		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	1	Triangular Silt Dike
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	2	Triangular Silt Dike
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	3	Triangular Silt Dike
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	4	Triangular Silt Dike
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	5	Triangular Silt Dike



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 09/01/2022 - 09/30/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU)		pH	
		Measured NTU Weekly Grab	Standard Units Weekly Grab	Measured NTU Weekly Grab	Standard Units Weekly Grab
		C1	C1	C2	C2
1-Th	9/1/22	C	C	C	C
2-Su	9/4/22	C	C	C	C
3-Su	9/11/22	C	C	C	C
4-Su	9/18/22	C	C	C	C
5-Su	9/25/22	C	C	C	C
Minimum			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

10/5/2022 10:23:05 AM

Signature

Date

Cedar Hills Regional Landfill
ISGP & CSWGP DMRs
4th Quarter 2022

Washington Department of Ecology
Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR000756 - DMR Submission Id: 1856399 - 1/13/2023
3:19:12 PM**

Company Name	Signer Name	System Name
King County Solid Waste Division	Jennifer Keune	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for King County Solid Waste Division	Copy of Record KingCountySolidWasteDivision Friday January 13 2023

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



em7xCQ3JyTQs3253SqOmR1jrePeu1sEooBqLtpR5CMpWBRLv36pYMY3rtSL/a162UJ+jYnxP6zEp0amuks1QmV
+HTXwcPwfagvzbz4OE6R8=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 10/01/2022 - 12/31/2022

Outfall: GS1 - Discharge to unnamed stream (wetland)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,,alpha,,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
Week	Monitoring Point	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1	GS1
Limit Set		ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
5-W	10/26/22	5.25	No	3.2	<2	1	0.0822	<0.481	<9.62	<0.481	<0.481	3.21
Minimum												
Average		5.25 BM: <= 25		3.2 BM: <= 14								
Maximum												
Month 1 Average					<2 <= 37	1 <= 27	0.0822 <= 4.9	<0.481 <= 16	<9.62 <= 71	<0.481 <= 14	<0.481 <= 15	3.21 <= 110
Month 2 Average					M <= 37	M <= 27	M <= 4.9	M <= 16	M <= 71	M <= 14	M <= 15	M <= 110
Month 3 Average					M <= 37	M <= 27	M <= 4.9	M <= 16	M <= 71	M <= 14	M <= 15	M <= 110

Reporting Codes Used: B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Overall DMR Notes/Comment

2022Q4 samples reflect first flush storm event on/after 9/1.
Results confirm consistent attainment for turbidity, pH, copper, and zinc for all monitoring locations.



Week	Monitoring Point	pH Standard Units Quarterly Grab
		GS1
Limit Set	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	
5-W	10/26/22	7.78
Minimum	7.78	
	>= 6.0 (RO)	
Average		
Maximum	7.78	
	<= 9.0 (RO)	
Month 1 Average		
Month 2 Average		
Month 3 Average		



Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 10/01/2022 - 12/31/2022

Outfall: N4 - Discharge to unnamed stream (McDonald Cr)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,,alpha,.alpha,.trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4	N4
	Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
6-T	11/1/22	8.6	No	4.63	2.54	3.2	0.0356	<0.485	<9.71	<0.485	<0.485	14.9
	Minimum											
	Average	8.6 BM: <= 25		4.63 BM: <= 14								
	Maximum											
	Month 1 Average				M <= 37	M <= 27	M <= 4.9	M <= 16	M <= 71	M <= 14	M <= 15	M <= 110
	Month 2 Average				2.54 <= 37	3.2 <= 27	0.0356 <= 4.9	<0.485 <= 16	<9.71 <= 71	<0.485 <= 14	<0.485 <= 15	14.9 <= 110
	Month 3 Average				M <= 37	M <= 27	M <= 4.9	M <= 16	M <= 71	M <= 14	M <= 15	M <= 110

Reporting Codes Used: B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Overall DMR Notes/Comment

2022Q4 samples reflect first flush storm event on/after 9/1.

Results confirm consistent attainment for turbidity, pH, copper, and zinc for all monitoring locations.

Outfall: N4 - Discharge to unnamed stream (McDonald Cr)

Monitoring Point	Parameter	Sample Date/ Statistical Base	Value	Notes/Comment
N4	All Parameters			Due to unsafe conditions (i.e., sink hole) temporarily preventing access to monitoring location N4, the 2022Q4 sample was collected in the structure immediately upstream of N4. N4 and the alternate sampling point are located in close proximity to each other and convey the same stormwater. Per guidance from R. Propst (Ecy), an updated monitoring location form is not necessary in this instance.



Week	Monitoring Point	<p style="font-size: small;">PH Standard Units Quarterly Grab</p> <p style="font-size: small;">N4</p>
Limit Set		ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
6-T	11/1/22	6.47
Minimum		6.47 >= 6.0 (RO)
Average		
Maximum		6.47 <= 9.0 (RO)
Month 1 Average		
Month 2 Average		
Month 3 Average		



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR000756

Permittee: CEDAR HILLS REGIONAL LANDFILL

Facility County: King

Receiving Waterbody: Unnamed stream

Monitoring Period: 10/01/2022 - 12/31/2022

Outfall: SL3 - Discharge to unnamed stream (ditch)

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Quarterly Grab	Oil & Grease Yes/No Quarterly Visual Observation	Copper Total Micrograms/L (ug/L) Quarterly Grab	Total BOD5 Total Milligrams/L (mg/L) Quarterly Grab	Solids (Residue) Total suspended (TSS) Milligrams/L (mg/L) Quarterly Grab	Ammonia Total Milligrams/L (mg/L) Quarterly Grab	Alpha-terpineol (3-Cyclohexene-1-methanol,, alpha ,alpha ,trimethyl-) Micrograms/L (ug/L) Quarterly Grab	Benzoic Acid Micrograms/L (ug/L) Quarterly Grab	p-Cresol (4-methylphenol) Micrograms/L (ug/L) Quarterly Grab	Phenol Micrograms/L (ug/L) Quarterly Grab	Zinc Total Micrograms/L (ug/L) Quarterly Grab
	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3	SL3
Limit Set	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Western WA - 2020 Permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit	ISGP Non-Haz Waste Landfill (40CFR part 445 subpart B)- 2020 permit
6-F	11/4/22	4.37	No	4.33	3.56	1.4	0.0077	<0.505	<10.1	<0.505	<0.505	6.19
Minimum												
Average	4.37			4.33								
	BM: <= 25			BM: <= 14								
Maximum												
Month 1 Average					M	1.4	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 2 Average					3.56	1.4	0.0077	<0.505	<10.1	<0.505	<0.505	6.19
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110
Month 3 Average					M	M	M	M	M	M	M	M
					<= 37	<= 27	<= 4.9	<= 16	<= 71	<= 14	<= 15	<= 110

Reporting Codes Used: B - Below Detection Limit/No Detection, M - Monitoring Is Conditional/Not Req This MP

Overall DMR Notes/Comment

2022Q4 samples reflect first flush storm event on/after 9/1.
Results confirm consistent attainment for turbidity, pH, copper, and zinc for all monitoring locations.

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Jennifer Keune

1/13/2023 3:19:11 PM

Signature

Date



Week	Monitoring Point	pH Standard Units Quarterly Grab SL3
6-F	11/4/22	6.84
Minimum		6.84 >= 6.0 (RO)
Average		
Maximum		6.84 <= 9.0 (RO)
Month 1 Average		
Month 2 Average		
Month 3 Average		

Washington Department of Ecology
Electronic Submission Cover Letter



**WQWebDMR - Permit# WAR305034 - DMR Submission Id: 1854909 - 1/10/2023
11:38:35 AM**

Company Name	Signer Name	System Name
Goodfellow Bros LLC	Kyle Williams	WQWebPortal

Attachments:

Document Name Or Description	Document Name
Submitted Copy of Record for Goodfellow Bros LLC	Copy of Record GoodfellowBrosLLC Tuesday January 10 2023

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



52PqEmizQq4r3N8IS236uCMTL/xujrsmUtnOdkP/GOvo1CN7VxPqDCvujO/xYovP0salFRGrSnA/WPIWS628Ucp7nmr1KR5ZPgX/WhR2q4M=



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: Queen City Farms Lake (QCFL)

Monitoring Period: 10/01/2022 - 10/31/2022

Outfall: CHL - Queen City Farms Lake (QCFL)

Version: 1

Week	Monitoring Point	Turbidity (NTU)	pH
		Measured NTU Weekly Grab	Standard Units Weekly Grab
		CHL	CHL
1-Sa	10/1/22	M	M
2-Su	10/2/22	M	M
2-M	10/3/22	M	M
2-T	10/4/22	M	M
2-W	10/5/22	M	M
2-Th	10/6/22	C	M
2-F	10/7/22	M	M
2-Sa	10/8/22	M	M
3-Su	10/9/22	M	M
3-M	10/10/22	C	M
3-T	10/11/22	C	M
3-W	10/12/22	C	M
3-Th	10/13/22	C	M
3-F	10/14/22	C	M
3-Sa	10/15/22	M	M
4-Su	10/16/22	M	M
4-M	10/17/22	C	M
4-T	10/18/22	C	M
4-W	10/19/22	C	M
4-Th	10/20/22	C	M
4-F	10/21/22	C	M
4-Sa	10/22/22	M	M
5-Su	10/23/22	M	M
5-M	10/24/22	M	M
5-T	10/25/22	M	M
5-W	10/26/22	M	M
5-Th	10/27/22	C	M
5-F	10/28/22	M	M
5-Sa	10/29/22	M	M
6-Su	10/30/22	M	M
6-M	10/31/22	C	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum		C	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams
	3	Silt Fence



	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Silt Fence
	6	Straw Wattles



Washington State Department of Ecology Discharge Monitoring Report (DMR)

Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: gravel pit lake

Monitoring Period: 10/01/2022 - 10/31/2022

Outfall: grav - The gravel pit lake infiltrates and has no surface discharge outlet

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C3	C3
1-Sa	10/1/22	M	M
2-Su	10/2/22	M	M
2-M	10/3/22	M	M
2-T	10/4/22	M	M
2-W	10/5/22	M	M
2-Th	10/6/22	C	M
2-F	10/7/22	M	M
2-Sa	10/8/22	M	M
3-Su	10/9/22	M	M
3-M	10/10/22	C	M
3-T	10/11/22	C	M
3-W	10/12/22	C	M
3-Th	10/13/22	C	M
3-F	10/14/22	C	M
3-Sa	10/15/22	M	M
4-Su	10/16/22	M	M
4-M	10/17/22	C	M
4-T	10/18/22	C	M
4-W	10/19/22	C	M
4-Th	10/20/22	C	M
4-F	10/21/22	C	M
4-Sa	10/22/22	M	M
5-Su	10/23/22	M	M
5-M	10/24/22	M	M
5-T	10/25/22	M	M
5-W	10/26/22	M	M
5-Th	10/27/22	C	M
5-F	10/28/22	M	M
5-Sa	10/29/22	M	M
6-Su	10/30/22	M	M
6-M	10/31/22	C	M
Minimum			M
			BM: >= 6.5 (RO)
Maximum		C	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles
	3	Check Dams



	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Silt Fence
	6	Straw Wattles



Permit Number: WAR305034

Permittee: Cedar Hills regional Landfill

Facility County: King

Receiving Waterbody: McDonald Creek

Monitoring Period: 10/01/2022 - 10/31/2022

Outfall: McDo - Outfall SW N4 The discharge on the northern boundary drains to McDonald Creek at Lat 47 477875 and Long 122 054943

Version: 1

Week	Monitoring Point	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab	Turbidity (NTU) Measured NTU Weekly Grab	pH Standard Units Weekly Grab
		C1	C1	C2	C2
1-Sa	10/1/22	M	M	M	M
2-Su	10/2/22	M	M	M	M
2-M	10/3/22	M	M	M	M
2-T	10/4/22	M	M	M	M
2-W	10/5/22	M	M	M	M
2-Th	10/6/22	C	M	C	M
2-F	10/7/22	M	M	M	M
2-Sa	10/8/22	M	M	M	M
3-Su	10/9/22	M	M	M	M
3-M	10/10/22	C	M	C	M
3-T	10/11/22	C	M	C	M
3-W	10/12/22	C	M	C	M
3-Th	10/13/22	C	M	C	M
3-F	10/14/22	C	M	C	M
3-Sa	10/15/22	M	M	M	M
4-Su	10/16/22	M	M	M	M
4-M	10/17/22	C	M	C	M
4-T	10/18/22	C	M	C	M
4-W	10/19/22	C	M	C	M
4-Th	10/20/22	C	M	C	M
4-F	10/21/22	C	M	C	M
4-Sa	10/22/22	M	M	M	M
5-Su	10/23/22	M	M	M	M
5-M	10/24/22	M	M	M	M
5-T	10/25/22	M	M	M	M
5-W	10/26/22	M	M	M	M
5-Th	10/27/22	C	M	C	M
5-F	10/28/22	M	M	M	M
5-Sa	10/29/22	M	M	M	M
6-Su	10/30/22	M	M	M	M
6-M	10/31/22	C	M	C	M
Minimum			M		M
			BM: >= 6.5 (RO)		BM: >= 6.5 (RO)
Maximum		C	M	C	M
		BM: <= 25 (RO)	BM: <= 8.5 (RO)	BM: <= 25 (RO)	BM: <= 8.5 (RO)

Reporting Codes Used: C - No Discharge, M - Monitoring Is Conditional/Not Req This MP

BMPs

Monitoring Point	Week	BMP
	1	Check Dams
	1	Silt Fence
	1	Straw Wattles
	2	Check Dams
	2	Silt Fence
	2	Straw Wattles



	3	Check Dams
	3	Silt Fence
	3	Straw Wattles
	4	Check Dams
	4	Silt Fence
	4	Straw Wattles
	5	Check Dams
	5	Silt Fence
	5	Straw Wattles
	6	Check Dams
	6	Silt Fence
	6	Straw Wattles

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kyle Williams

1/10/2023 11:38:33 AM

Signature

Date



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600 • Olympia, Washington 98504-7600 • 360-407-6000

January 25, 2023

Kyle Williams
Goodfellow Bros LLC
sent via email only: kylew@goodfellowbros.com

RE: Notice of Termination of Coverage under the Construction Stormwater General Permit

Permit Number: WAR305034
Site Name: CHRL Area 7 Stage 5 Closure
Location: Maple Valley, WA (King)

Dear Permittee,

The Washington State Department of Ecology (Ecology) has reviewed your Notice of Termination (NOT) of coverage under the Construction Stormwater General Permit for the construction site shown above. Based on the NOT, Ecology is terminating your coverage under the permit as of October 24, 2022.

Please ensure that you retain the Stormwater Pollution Prevention Plan (SWPPP) and copies of all of the application, inspection reports, and all other reports required by this permit for at least five years after the date of final stabilization of the construction site. These documents need to be available to Ecology and to the local government agencies with jurisdiction, upon request.

Appeal of this Action

You have a right to appeal this action. The appeal process is governed by chapter 43.21B RCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this letter:

- File your appeal and a copy of the permit cover page with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and the permit cover page on Ecology in paper form - by mail or in person (see addresses below). Email is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Address and Location Information:

Street Addresses:	Mailing Addresses:
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board (PCHB) 1111 Israel Road SW, Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

As required by State law (RCW 90.48.465), Ecology charges a fee for its discharge permits. Although your permit is terminated, you will receive an invoice for the entire fiscal year if payment has not been received. Ecology **does not prorate fees** for permits terminated during the fiscal year.

If you would like more information on the fee process, please contact the Permit Fee Unit at 1 (800) 633-6193, option 2, or send email to wqfeeunit@ecy.wa.gov.

Sincerely,



Jeff Killelea, Acting Section Manager
Program Development Services Section
Water Quality Program

cc: Ecology/Water Quality Program/Permit Fee Unit