

KING COUNTY

1200 King County Courthouse 516 Third Avenue Scattle, WA 98104

Signature Report

December 13, 2016

Ordinance 18434

Sponsors Dembowski and Dunn

1	AN ORDINANCE approving the King County Water
2	District No. 90 2015 Comprehensive Water System Plan.
3	STATEMENT OF FACTS:
4	1. King County has adopted K.C.C. chapter 13.24, which requires
5	approval of comprehensive plans for water and sewer utilities that provide
6	service in unincorporated King County as a prerequisite for operating in
7	unincorporated King County, receiving approval for annexation proposals,
8	being granted right-of-way franchises and being given approval for right-
9	of-way construction permits. K.C.C. chapter 13.24 prescribes the
10	requirements for approval of those plans, including consistency with state
11	and local planning requirements.
12	2. King County Water District No. 90's last general water facility plan
13	was approved in 2008. Washington state Department of Health and King
14	County regulations require water system plans to be updated every six
15	years.
16	3. The district has a service area within King County and has adopted a
17	water system plan update ("the plan").
18	4. King County has adopted a Comprehensive Plan that includes policies
19	F-101 through F-254, the applicable portions of which address water

20	policies for facilities and services, these water policies can for consistency
21	with other adopted plans, pursuit of reclaimed water, water conservation
22	and protection of water resources.
23	5. K.C.C. chapter 13.24 requires the utilities technical review committee
24	to review and make a recommendation to the King County executive and
25	council on the plan, the requirements under K.C.C. chapter 13.24 and
26	consistency with the King County Comprehensive Plan. The utilities
27	technical review committee has reviewed the planning data and system
28	operations and has found:
29	a. The plan uses population and employment forecasts developed by the
30	Puget Sound Regional Council;
31	b. The district's service area includes portions of unincorporated King
32	County;
33	c. The capital facility plan is adequate to meet anticipated facility and
34	service needs;
35	d. The plan is consistent with applicable Washington state water quality
36	laws; and
37	e. The plan is consistent with other pertinent county adopted plans and
38	policies.
39	6. Washington state Department of Health approval is pending upon King
40	County's approval of the plan.
41	7. Under the state Environmental Policy Act the district completed an
42	environmental check list and the district issued a determination of

43	nonsignificance for the plan approval on July 15, 2015. There were no
44	appeals.
45	8. The district's operations and facilities meet multiple existing statutory,
46	administrative and planning standards. As the district's operations,
47	facilities and planning meet the requirements of the King County Code
48	and are consistent with the King County Comprehensive Plan, the utilities
49	technical review committee has recommended approval of the plan.
50	BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:
51	SECTION 1 The King County Water District No. 90 2015 Comprehensive

- Water System Plan, Attachment A to this ordinance, is hereby approved as a
- comprehensive system water plan.

54

Ordinance 18434 was introduced on 10/24/2016 and passed by the Metropolitan King County Council on 12/12/2016, by the following vote:

Yes: 9 - Mr. von Reichbauer, Mr. Gossett, Ms. Lambert, Mr. Dunn, Mr. McDermott, Mr. Dembowski, Mr. Upthegrove, Ms. Kohl-Welles and Ms. Balducci

No: 0 Excused: 0

> KING COUNTY COUNCIL KING COUNTY, WASHINGTON

J. Joseph McDermott, Chair

ATTEST:

Melani Pedroza, Acting Clerk of the Council

APPROVED this 6 day of November 2016.

Dow Constantine, County Executive

Attachments: A. King County Water District No. 90 - 2015 Comprehensive Water System Plan