



Legislation Details (With Text)

File #: 2010-0031 **Version:** 2

Type: Ordinance **Status:** Passed

File created: 1/18/2010 **In control:** Hearing Examiner

On agenda: **Final action:** 3/29/2010

Enactment date: **Enactment #:** 16780

Title: AN ORDINANCE concurring with the recommendation of the hearing examiner to approve, subject to conditions, the application for public benefit rating system assessed valuation for open space submitted by Ron Kessler for property located at 29206 SE 424th St., Enumclaw, WA 98022, designated department of natural resources and parks, water and land resources division file no. E09CT039.

Sponsors: Bob Ferguson

Indexes: Current Use

Code sections:

Attachments: 1. transmittal letter.doc, 2. 2010-0028-0036 hearing notice.doc, 3. 2010-0031 WLRD report.doc

Date	Ver.	Action By	Action	Result
3/29/2010	2	Metropolitan King County Council	Passed	Pass
1/19/2010	1	Metropolitan King County Council	Introduced and Referred	

Clerk 03/24/2010

AN ORDINANCE concurring with the recommendation of the hearing examiner to approve, subject to conditions, the application for public benefit rating system assessed valuation for open space submitted by Ron Kessler for property located at 29206 SE 424th St., Enumclaw, WA 98022, designated department of natural resources and parks, water and land resources division file no. E09CT039.

BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:

SECTION 1. This ordinance does hereby adopt and incorporate herein as its findings and conclusions the findings and conclusions contained in the report and recommendation of the hearing examiner dated March 5, 2010, to approve subject to conditions, the application for public benefit rating system assessed valuation for open space submitted by Ron Kessler for property located at 29206 SE 424th St., Enumclaw, WA 98022, designated department of natural resources and parks, water and land

resources division file no. E09CT039, and the council does hereby adopt as its action the recommendation or recommendations contained in the report.