

King County

1200 King County Courthouse 516 Third Avenue Seattle, WA 98104

Legislation Details (With Text)

File #: 2008-0115 Version: 2

Type: Ordinance Status: Passed

File created: 3/3/2008 In control: Hearing Examiner

On agenda: Final action: 6/23/2008
Enactment date: Enactment #: 16161

Title: AN ORDINANCE approving an application for current use assessment for either public benefit rating

system or timber land, or both, submitted by Cory Huskinson for property located at 31929 SE 44th Street, Fall City, WA 98024, designated department of natural resources and parks, water and land

resources division file no. E07CT084.

Sponsors: Julia Patterson

Indexes: Current Use, DDES/DPER, Hearing Examiner, Zoning

Code sections:

Attachments: 1. 2008-0115 hearing notice.doc, 2. April 9 2008 transmittal letter.doc

Date	Ver.	Action By	Action	Result
6/23/2008	2	Metropolitan King County Council	Passed	Pass
3/3/2008	1	Metropolitan King County Council	Introduced and Referred	

Clerk 06/11/2008

AN ORDINANCE approving an application for current use assessment for either public benefit rating system or timber land, or both, submitted by Cory Huskinson for property located at 31929 SE 44th Street, Fall City, WA 98024, designated department of natural resources and parks, water and land resources division file no. E07CT084.

BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:

SECTION 1. This ordinance does hereby adopt and incorporate herein as its findings and conclusions the findings and conclusions contained in the report and recommendation of the hearing examiner dated June 3, 2008, to approve subject to conditions, the application for public benefit rating system assessed valuation for open space submitted by Cory Huskinson for property located at 31929 SE 44th Street, Fall City, WA 98024, designated department of natural resources and parks, water and land

File #: 2008-0115, Version: 2

resources division file no. E07CT084, and the council does hereby adopt as its action the recommendation or recommendations contained in the report.